

**HARVEY**  
BUILDING PRODUCTS

# Classic

Double Hung Replacement Window





Shown with optional foam-filled frame/sash

## Classic features

The Harvey Classic vinyl double hung replacement window offers a variety of styles, colors and options to meet any homeowner's needs. The Classic window is custom made to fit with very little carpentry needed, reducing installation time and mess. Our sleek fully welded sash and frame design provides a one-piece sloped sill and better performance than ordinary vinyl windows, with an air-tight seal that keeps wind and water where they belong – outside. Consult your professional contractor to discuss which options are right for you.

- Federal tax credit eligible and ENERGY STAR® qualified with performance upgrade
- Factory calibrated block & tackle sash balances never need adjustment or lubrication
- Ventilation limit latches that keep top or bottom sash partially open
- Locking fiberglass half screen
- Color matched hardware with Brasstone and optional Brushed Nickel
- 7/8" Intercept® Warm-Edge Glazing
- Vinyl head expander
- Adjustable vinyl sill expander



**Tilt-in top and bottom sash for easy cleaning.**



## hardware



Low-profile Cam Lock  
(standard white)



Almond



White



Brasstone



Bronze



Brushed Nickel

## grids

### Contoured GBG (Grids Between Glass)




5/8"



1"

Color-Matched

### Exterior Grid Package



5/8"



1"

Color-Matched

### Simulated Divided Lights



5/8"


1"

Interior Applied,  
GBG and  
Exterior Applied

### Decorative Pencil Bar Grids



Brasstone



Brushed Nickel

(with or without glass accents)

## configurations



Colonial



Prairie



Diamond  
(flat GBG only)

Custom configurations available upon request.

## glazing

- Clear Insulated (standard)
- Low-E
- Low-E/Argon
- Double Low-E/Argon
- Obscure
- Tempered
- Bronze Tint
- FIP

## additional options

- DP 50 Upgrade
- Foam-Filled Frame/Sash
- Structural Mullion
- Foam Wrap
- Always Active Limit Latch

### Half Screen

- Fiberglass Wire
- Aluminum Wire
- Virtually Invisible

### Full Screen

- Fiberglass Wire
- Aluminum Wire
- Virtually Invisible

## exterior colors

Exterior colors are paint finishes and are available for products with white or almond interior only.



Amazon Green



Backwood



Black



Bronze



Buff



Burgundy



Cashmere



Clay



Copper



Cranberry



Fire Engine Red



Forest Green



Grey



Harvey Almond



Harvey Bronze



Ivory



Ivy Green



Leaf Green



Old World Blue



Sable



Sandalwood



Sandstone



Silver Metallic



Tile Red



Universal Brown



Wedgewood



White



Wicker

## interior colors

Interior colors are clear-through vinyl colors.



Almond



Bronze



White

Due to printing limitations, finishes and colors shown are for representation only.



**HARVEY**  
BUILDING PRODUCTS

## Thermal Performance

Glazing	U-Factor	R-Value	SHGC	Visible Light Transmittance	ENERGY STAR Compliance
Clear	0.48	2.08	0.57	0.61	---
Low-E	0.35	2.86	0.30	0.54	SC
Low-E/Argon	0.32	3.13	0.30	0.54	NC, SC
2X Low-E/Argon	0.31	3.23	0.28	0.48	NC, SC
Federal Incentive Package†	0.30	3.33	0.21	0.49	All Zones

For structural performance values and other product specifications, visit [harveybp.com](http://harveybp.com).

†Classic windows can qualify for a federal tax credit under The American Recovery and Reinvestment Act of 2009. For the latest program guidelines and qualifications, please visit [harveybp.com](http://harveybp.com) and consult a tax professional.

**U-factor** measures the rate of non-solar heat transfer from one side of the window to the other. Heat transfer implies both heat loss out of a living space during cold weather and non-solar heat gain during hot summer months. The lower the U-factor, the better the performance.

**R-value** measures the resistance of a glazing material or fenestration assembly to heat flow. A high R-value window has a greater resistance to heat flow and a higher insulating value than one with a low R-value.

**Solar Heat Gain Coefficient (SHGC)** measures how well a product blocks heat from the sun. The lower the SHGC, the better a product is at blocking unwanted heat gain.

**Visible Transmittance (VT)** measures how much light comes through a product. The higher the VT, the more light that comes through.

## About Harvey Building Products

Harvey has built a solid reputation as a leading manufacturer and distributor of quality building products. A family-owned and operated business with over 45 years' experience, Harvey Building Products is known for outstanding craftsmanship and superior service as well as standing behind every product we make. In addition to manufacturing durable, attractive windows, doors and patio rooms, Harvey distributes a full line of highly respected building products to professional contractors and builders throughout the Northeast.

We understand what it takes to be part of your home.™



Harvey Building Products  
1400 Main Street  
Waltham, MA 02451-1623 USA  
800-9HARVEY (800-942-7839)



Information about Harvey Building Products and our products and services can be found at [harveybp.com](http://harveybp.com).

